



HESHBON HL-32X



Wheelfree 3.3 tons Scissor Lift

A low-profile, on-ground double scissor lift for quick service bays. Features 3.2-ton capacity and an integrated powerpack for efficient, space-saving vehicle lifting.




enquiry@obss.in



+91 99444 49000





www.obss.in



FEATURES

- Master & Slave cylinder system composed by high-Performed durable hydraulic cylinders.
- Easy synchronization control system by special hydraulic valves.
- Air cylinder operated locking device.
- Platforms slide extensions.
- Front detachable wheel stopper for drive through.
- Rubber pads on the platform to protect the vehicle chassis.
- Applicable to both in/above-ground mount.
- Descend alarm signal.
- De-synchronization detecting electronic photo-cell.
- Hydraulic hand-pump for emergency ascend/descend.
- Two step descending system gives full foot protection.
- Van Adaptor kit. (OPTION)
- Pit frame for in-ground type. (OPTION)





LAY-OUT

SPECIFICATION	DETAILS
Model No.	HL-32X/ABOVE-GROUND
Lifting Capacity (kg)	3,300kg(CE / 3000 * kg)
Max. Lifting Height (mm)	1,953 mm
Dimension (mm)	4,254(L) X 2065(W) X 140(H)
Power Supply & Motor	1ph: 2.5HP, 4P, 220V, 50/60Hz
Net Weight	1050 kg
Lifting Time / Lowering Time	55~65 sec./50~65 sec.

